

# SAFETY DATASHEET

According to 1272/2008/EC, (CLP)

## SECTION 1: Identification of the substance/mixture & of the Company/ Undertaking

1.1 ProductName: MICRO-19 HAND SANITISER PEACH

1.2 Application of the substance/mixture: Hand Sanitiser

1.3 Details of the supplier of the safety data sheet:

The Giving Brands Company Pty Ltd, 14/347 Bay Road, Cheltenham, Victoria, 3192 Australia  
Tel. +61 03 9532 2639

1.4 Emergency telephone number: +61 03 9532 2639

1.5 POISON INFORMATION CENTRE: 13 11 26 (Australia) or New Zealand Ph: 0800 764 766

### Restrictions on use:

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information, critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.


---

## SECTION 2: Hazard Identification

### GHS Classification

Flammable liquids : Category 3  
Serious eye damage/eye irritation : Category 2A

### GHS Label element

Hazard pictograms : 

Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.  
H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**  
P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P233 Keep container tightly closed.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

# SAFETY DATASHEET

According to 1272/2008/EC, (CLP)

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification: Vapour may form explosive mixture with air.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Hazardous components**

Chemical Name	CAS-No.	Concentration (%w/w)
Ethanol	64-17-5	66
Non-hazardous		>34

---

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
- Protection of first aiders : First Aid responders should pay attention to self-protection and use the recommended personal protective equipment when the potential for exposure exists.
- Notes to physician : Treat symptomatically and supportively.

# SAFETY DATASHEET

According to 1272/2008/EC, (CLP)

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO <sub>2</sub> )
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapour may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	: •3Y

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

### Methods and materials for containment and cleaning up:

Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapour/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

# SAFETY DATASHEET

According to 1272/2008/EC, (CLP)

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

## SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use with local exhaust ventilation.  
Use only in an area equipped with explosion proof exhaust ventilation.
- Advice on safe handling : Avoid inhalation of vapour or mist.  
Do not swallow.  
Do not get in eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice.  
Non-sparking tools should be used.  
Keep container tightly closed.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.
- Conditions for safe storage : Keep in properly labelled containers.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents'  
Flammable gases  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Poisonous gases  
Explosives

**SAFETY DATASHEET**  
According to 1272/2008/EC, (CLP)

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m <sup>3</sup>	AU OEL
		STEL	1,000 ppm	ACGIH

**Engineering measures** : Minimize workplace exposure concentrations.  
Use only in an area equipped with explosion proof exhaust ventilation.  
Use with local exhaust ventilation.

**Personal protective equipment**

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided, or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Organic vapour type

Hand protection

Material : Impervious gloves

Material : Flame retardant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment: Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Wear the following personal protective equipment:  
Flame retardant antistatic protective clothing.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

**SAFETY DATASHEET**  
According to 1272/2008/EC, (CLP)

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: Clear, thin gel
Colour	: Uncoloured
Odour	: Matches standard, alcohol-like & slightly of peach
Odour Threshold	: No data available
pH	: 6.5 - 8.0
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 23.7 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.87-0.89 g/cm <sup>3</sup>
Water solubility	: Soluble
Partition coefficient: n- octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: The substance or mixture is not classified self-reactive.
Viscosity, kinematic	: 3,500 - 23,000 mm <sup>2</sup> /s (20.00 °C)
Explosive properties	: Not explosive
Oxidising properties	: The substance or mixture is not classified as oxidising.

# SAFETY DATASHEET

According to 1272/2008/EC, (CLP)

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Flammable liquid and vapour. Vapour may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents

Hazardous decomposition products: No hazardous decomposition products are known.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	: Inhalation Skin contact Ingestion Eye contact
-----------------	--

### Acute toxicity

Not classified based on available information.

### Components:

#### Ethanol:

Acute oral toxicity : LD50 (Rat): > 5,000mg/kg

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

### Skin corrosion/irritation

Not classified based on available information.

### Product:

Result: No skin irritation

### Components:

#### Ethanol:

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation

### Components:

#### Ethanol:

Species: Rabbit  
Result: Irritation to eyes, reversing within 21 days  
Method: OECD Test Guideline 405

### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.  
Respiratory sensitisation: Not classified based on available information.

# SAFETY DATASHEET

According to 1272/2008/EC, (CLP)

## **Product:**

Assessment: Does not cause skin sensitisation.

## **Components:**

### **Ethanol:**

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skincontact

Species: Mouse

Result: negative

## **Chronic toxicity**

### **Germ cell mutagenicity**

Not classified based on available information.

## **Components:**

### **Ethanol:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

## **Carcinogenicity**

Not classified based on available information.

## **Reproductive toxicity**

Not classified based on available information.

## **Components:**

### **Ethanol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative

## **STOT - repeated exposure**

Not classified based on available information.

## **Repeated dose toxicity**

## **Components:**

### **Ethanol:**

Species: Rat

NOAEL: 2,400 mg/kg

Application Route: Ingestion

Exposure time: 2 y



**SAFETY DATASHEET**  
According to 1272/2008/EC, (CLP)

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Components:**

**Ethanol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia magna (Water flea)): 9.6 mg/l  
Exposure time: 9 d  
(Chronic toxicity)

Toxicity to bacteria : EC50 (Photobacterium phosphoreum): 32.1 mg/l  
Exposure time: 0.25 h

**Persistence and degradability**

**Product:**

Biodegradability : Result: Readily biodegradable

**Components:**

**Ethanol:**

Biodegradability : Result: Readily biodegradable  
Biodegradation: 84 % exposure time: 20 d

**Bioaccumulative potential**

: log Pow: -0.35

**Components:**

**Ethanol:**

Partition coefficient: n-octanol/water

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---




**SAFETY DATASHEET**  
According to 1272/2008/EC, (CLP)

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

- Waste from residues : Dispose of in accordance with local regulations.
- Contaminated packaging : Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not burn, or use a cutting torch on, the empty drum.

**SECTION 14. TRANSPORT INFORMATION**

Regulation	UN number	Proper shipping name	Classes	PG*	Label	Additional information
<b>ADG</b>	UN1170	ETHANOL SOLUTION	3	III		<b>Hazchem code</b> •2Y <b>Special provisions</b> 144, 223
<b>IMDG</b>	UN1170	ETHANOL SOLUTION.	3	III		<b>Limited quantity</b> 1 L <b>Emergency schedules (EmS)</b> F-E, S-D
<b>IATA</b>	UN1170	Ethanol solution	3	III		<b>See DG list.</b>

PG\* : Packing group

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**SAFETY DATASHEET**  
According to 1272/2008/EC, (CLP)

**International Regulation**

**UNRTDG**

UN number : UN 1170  
Proper shipping name : Ethanol Solution  
Class : 3  
Packing group : III  
Labels : 3

**IATA-DGR**

UN/ID No. : UN 1170  
Proper shipping name : Ethanol Solution  
  
Class : 3  
Packing group : III  
Labels : Flammable Liquids

Packing instruction

- i. Cargo aircraft 366
- ii. Passenger aircraft 355

**IMDG-Code**

UN number : UN 1170  
Proper shipping name : Ethanol Solution  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-D  
Marine pollutant : no

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**

**ADG**

UN number : UN 1170  
Proper shipping name : Ethanol Solution  
Class : 3  
Packing group : III  
Labels : 3  
Hazchem Code : •3Y

---

**SAFETY DATASHEET**  
*According to 1272/2008/EC, (CLP)*

**SECTION 15. REGULATORY INFORMATION**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Standard for the Uniform Scheduling of Medicines and Poisons : No poison schedule number allocate

Prohibition/Licensing Requirements : There is no applicable prohibition or notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.

**The components of this product are reported in the following inventories:**

REACH : All ingredients (pre-)registered or exempt.

TSCA : All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

DSL : All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).

AICS : All ingredients listed or exempt.

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

# SAFETY DATASHEET

According to 1272/2008/EC, (CLP)

## SECTION 16. OTHER INFORMATION

### **Abbreviations and acronyms:**

<b>ADR</b>	: Accord européen sur le transport des marchandises dangereuses par Route (European agreement concerning the International Carriage of Dangerous Goods by Road)
<b>IMDG</b>	: International Maritime Code for Dangerous Goods
<b>IATA</b>	: International Air Transport Association
<b>GHS</b>	: Globally Harmonised System of Classification and Labelling of Chemicals
<b>EINECS</b>	: European Inventory of Existing Commercial Chemical Substances
<b>ELINCS</b>	: European List of Notified Chemical Substances
<b>CAS</b>	: Chemical Abstracts Service (division of the American Chemical Society)
<b>AICS</b>	: Australian Inventory of Chemical substances
<b>NICNAS</b>	: National Industrial Chemical Notification & Assessment Scheme
<b>ACGIH</b>	: USA. ACGIH Threshold Limit Values (TLV)
<b>ACGIH BEI</b>	: ACGIH - Biological Exposure Indices (BEI)
<b>AU OEL</b>	: Australia. Workplace Exposure Standards for Airborne Contaminants.
<b>ACGIH / TWA</b>	: 8-hour, time-weighted average
<b>ACGIH / STEL</b>	: Short-term exposure limit
<b>AU OEL / TWA</b>	: Exposure standard - time weighted average
<b>AU OEL / STEL</b>	: Exposure standard - short term exposure limit

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing, and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

END OF DOCUMENT